

Marvin Engineering / Marvin Land Systems

PRODUCT ASSURANCE PROVISIONS

Applicable to Orders referencing Material Code: MG88

CERTIFICATION (COC) (PAP 16)

Certificate of Conformance or Certificate of Compliance, as applicable, must accompany each shipment of materials. Certificates must include:

- 1) Supplier name,
- 2) MEC or MLS Purchase Order (PO)
- 3) Part Number annotated on PO (note: for suppliers who have a COTS item number cross-referenced with an MEC or MLS Part Number, both the COTS number and the MEC/MLS Part Number must be documented on all Certifications)
- 4) Part Revision
- 5) Quantity
- 6) Indication of heat and/or lot no. Certifications must contain the signature and title of the authorized Supplier representative responsible for certifications. The certification must contain a statement that the supplier has on file and available for examination, evidence of conformance to the applicable specifications.
MEC or MLS Quality Assurance reserves the right to request data supporting the Certifications. When requested, Supplier shall forward this data to MEC or MLS within five (5) working days.

Note: When raw material is supplied by MEC or MLS, lot data information will be forwarded to supplier via MEC memo shipper accompanying the raw material shipment or, in the case of drop shipments, by e-mail from the MEC Receiving Department representative or by the respective buyer.

AGE CONTROL – CERTIFICATION (PAP 17)

Supplier and their sub-tier suppliers of material shall mark the products and exterior container in accordance with the specification, as required, including the identification of manufacturer, cure date and expiration dates. Supplier and their sub-tier suppliers shall provide certification to actual specification, and revision; including batch identification, manufacture date, cure date, and expiration date, as required. The certificate shall bear the signature and title of supplier's authorized representative, and state that evidence of compliance is on file and available upon request. In addition, the certificate shall include information whether the shelf life is to be controlled at room temperature or at refrigerated condition, as well as information if shelf life can be extended by refrigeration. Material with less than 75% of useful life shall not be shipped on this order.

Note: For material with a shelf life less than 75%, supplier or sub-tier supplier shall have written authority from MEC Production Planning Department in order to ship to MEC. Each container, package, or material shall be identified as to storage environment and manufacturer's batch, lot, and shelf-life expiration information. MEC/MLS may refuse to accept material with more than 75% of the shelf-life expired at the time of receipt.

The manufacturer shall:

- a. Identify date of manufacture;
- b. Include Material Safety Data Sheet (MSDS), required with each shipment;
- c. Identify each container;
- d. Specify storage environment;
- e. Provide limited shelf-life information.

TEST REPORTS (PAP 18)

Supplier and their sub-tier suppliers shall furnish performance test data for tests conducted on, and identifiable to the article(s) submitted (by serial number), when applicable. Performance test reports must contain the signature and title of the person (or traceable inspector stamp) responsible for the tests. Particular emphasis shall be given to characteristics that cannot be verified at MEC or MLS facility. Traceability to MEC or MLS purchase order is required.

NOTE: Unless otherwise specified in the body of the Purchase Order, this requirement is not applicable to "Standard Catalog Hardware" (i.e., part or material that conforms to an established industry or national authority published specification, having all characteristics identified by text description, national/military standard drawing or catalog item).

FIRST ARTICLE INSPECTION (PAP 24)

On the first initial production run/part, First Article Inspection (FAI) shall be performed in accordance with the requirements of AS9102 ("Aerospace First Article Inspection Requirement"), per the revision level established at time of purchase order issuance. First Article Inspection shall be performed prior to product acceptance and/or shipment to MEC or MLS. A new/ Delta First Article Inspection shall be required if:

- A change in the design characteristics affecting fit, form, or function of the part.
- A change in manufacturing source(s), process(es), inspection method(s), location of manufacture, tooling, or materials that can potentially affect fit, form, or function.
- A change in numerical control program or translation to another media that can potentially affect fit, form, or function.
- A natural or man-made event, which may adversely affect the manufacturing process.
- An implementation of corrective action required to complete a previous FAI, as described in 4.4. of AS9102 ("Aerospace First Article Inspection Requirement").
- A lapse in production for two years shall require an update for any characteristics that may be impacted by the inactivity. This lapse is from the completion of last production operation to the actual restart of production.

Please note: Supplier shall not commence production of units beyond the first article when MEC supplies material unless written authorization is given by MEC. All hardware produced beyond the first production lot without MEC approval shall be at the sole risk of the Supplier.

The following Items shall not require FAI, unless otherwise directed by Buyer:

- Standard hardware and standard electronic parts (AN, MS standard hardware, JSF, etc.);
- Commercial Off-the-Shelf ("COTS") Items;
- Metallic (plate, bar, rod, etc.) and non-metallic (paints, sealants, adhesives, etc.) raw materials;

- Items that have been returned by Buyer for repair.

The supplier's AS9102 report shall provide, as a minimum: Purchase Order (PO) number, part number, revision level, part name, Supplier's name, drawing requirements (including tolerances) & Heat Lot Number, method used to obtain results and actual results of each measurement. Part(s) used for the inspection shall be identified when shipped to MEC or MLS as "first article inspection sample". All required and optional fields on FAI Report Forms shall be completed. In addition, any FAI report form generated shall not contain open fields. To ensure each field of the FAI has been reviewed, the supplier shall mark all Non Applicable fields as "N/A" and shall give a brief explanation for each. First article data, in accordance with the requirements of AS9102 first article inspection report form, shall accompany the first shipment to be delivered and an additional copy sent to MEC or MLS, Attention: Quality Control Receiving Inspection Department, 261 W. Beach Avenue, Inglewood, CA 90302. If the part requires functional testing, in addition to the actual test results, the supplier shall furnish a diagram of the test set-up, the test equipment that was used, the tolerances of the test equipment, and the calibration date of the test equipment used. AS9102 forms can be found on the Society of Automotive Engineers website located at the following address: <http://www.sae.org/aaqg/publications>. If the above link does not open, copy and paste the address to your web-browser window.

QUALIFIED PRODUCTS LIST (QPL) (PAP 30)

Suppliers and their sub-tier suppliers of products such as electronic components, primers, enamels, oil, welding rod, switches, regulators, etc., direct to MEC or MLS are responsible to furnish these products as listed on the applicable Qualified Products List (QPL) or evidence that they have been approved for inclusion on such list. They must substantiate the qualification by listing the product, the name of manufacturer, the QPL number, revision and date of applicable QPL on the certification for components or sub-assemblies. If there is a shelf life for the product, the expiration date must be noted on the certification and/or the product. Supplier and their sub-tier suppliers accomplishing final surface finish operations such as painting or installation of components or sub-assemblies using QPL products as outlined above, must substantiate the qualification as described above.

FOREIGN OBJECT DEBRIS (PAP 45)

General workmanship practices and standard term for the prevention of FOD to products apply.

- a. Foreign Object Debris (FOD): A substance, debris or article alien to the part/item(s), which would potentially cause damage
- b. Foreign Object Damage (FOD): Any damage attributed to a foreign object that can be expressed in physical or economic terms that may or may not degrade the product's required safety and/or performance characteristics

SUPPLIERS AND THEIR SUB-TIER SUPPLIERS (PAP 47)

Suppliers must flow-down MEC or MLS Product Assurance Provisions (PAP Clauses) to their Sub-Tier Suppliers the applicable requirements listed in this purchase order including key characteristics and special processes when applicable.

OZONE DEPLETING CHEMICALS (PAP 49)

Class 1 ozone depleting chemicals are not to be used nor incorporated in any items to be delivered under this order. This prohibition supersedes all specification requirements but does not alleviate any production requirements. Substitute chemicals must be submitted for approval unless they are authorized by the specification requirements.

RECORD RETENTION (PAP 52)

MEC or MLS Suppliers and their Sub-tier Suppliers shall retain and maintain Quality Records associated with MEC or MLS product from deterioration for a minimum of seven (7) years unless otherwise specified by purchase order or customer. No Quality Record associated with MEC or MLS may be stored, either temporarily or permanently, in an area where the potential for damage, deterioration, or loss exists. Quality Records associated with MEC or MLS maintained for this period may be disposed of only after obtaining authorization from MEC or MLS Quality Assurance in writing. Prior to disposal, records shall be defaced to illegibility.

INSPECTION SAMPLING PLAN (PAP 54)

Sample Inspection reports shall be submitted with the certification package (Cert Package) in accordance with AS9102 latest revision format. Unless otherwise specified Inspections shall be conducted utilizing ANSI Z1.4 General Inspection Level II at an Acceptance Quality Level (AQL) of 1.0 in accordance with Sampling Procedure and Tables for Inspection by Attributes, normal level II. Lots acceptance shall be at zero (0), rejections shall be at one (1). All features as defined below shall be inspected 100% on all lots:

- a. Any feature identified with a total tolerance less than .001 inches;
- b. Any Surface finishes having a 16 RMS value or less;
- c. Any geometric feature control requirement with a total tolerance range of .002 inches or less;
- d. Angular tolerances with a total range less than 1 degree;
- e. Threads specified to class 3 or greater;
- f. Any characteristic deemed as critical by the engineering support activity (ESA);
- g. All CSI, CAI or KC features identified on the released engineering drawing or purchase order.

NOTE: The features defined in this clause are also applicable to PAP 67 (Data Requirements for Turnkey parts/Machining POs) for features identified in a-g.

SUPPLIER PROCESS CHANGE CONTROL (PAP 59)

Supplier manufacturing process changes shall be reported to MEC or MLS for evaluation and disposition. This requirement does not apply to commercial off-the- shelf (COTS) items. The supplier understands that a First Article or Inspection to the extent necessitated by the change may be imposed to validate the new process even when there is no change to configuration, form, fit, or function. A manufacturing process change includes but is not limited to:

- a. moving the location of manufacture within a production facility or to a new facility;
- b. changing manufacture or process sources or methodology, or
- c. changing machinery, equipment, tooling, or programming (not inclusive of replacement of same item).

A documented process shall be in place to review, identify and submit a request for change to the MEC or MLS Procurement Representative. Changes shall be submitted to MEC or MLS 30-days prior to planned implementation.

EXECUTIVE ORDER 13496 (PAP 60)

Notice Of Employee Rights Under Federal Labor Laws

(<http://www.dol.gov/olms/regs/compliance/EO13496.htm>)

EXECUTIVE ORDER 13465 (PAP 60.1)

Amending Executive Order 12989, as Amended (<https://www.gpo.gov/fdsys/pkg/FR-2008-06-11/pdf/08-1348.pdf>)

COUNTERFEIT PARTS (DFAR 252.246-7007) (PAP 62)

Supplier shall develop and implement a counterfeit parts control plan that documents its processes for risk mitigation, disposition and reporting of counterfeit parts. Reference guide SAE AS5553 *Counterfeit Electronic Parts, Avoidance, Detection, Mitigation and Disposition* and/or SAE AS6174 *Counterfeit Materiel, Assuring Acquisition of Authentic and Conforming Materiel*.

All electrical, electronic, electro-mechanical and electro- optical component parts delivered and/or used in the manufacture of deliverable products shall be from the Original Component Manufacturer (OCM) / Original Equipment Manufacturer (OEM) or franchised distributors or Authorized Aftermarket Manufacturer (AAM).

If counterfeit parts are furnished under this purchase agreement, such items shall be impounded. The Supplier or when applicable, their Sub-Tier Supplier shall promptly replace such items with genuine parts conforming to the requirements of this Contract at no increase in price, cost or fee to MEC or MLS. If the delivery of counterfeit parts is the result of Supplier's intentional or fraudulent acts, Supplier shall also be liable for the cost of impoundment and removal of counterfeit parts. MEC or MLS may turn such items over to US Governmental authorities (Office of Inspector General, Defense Criminal Investigative Service, Federal Bureau of Investigation, etc.) for investigation and reserves the right to withhold payment for the suspect items pending the results of the investigation.

PURCHASE ORDER LOT INCREASES (PAP 64)

When raw material or parts are provided to a supplier, any excess material or parts shall be returned to MEC or MLS. If the raw material yields a higher quantity than specified on the purchase order, the MEC Purchasing Agent must approve the quantity adjustment prior to work being performed. MEC or MLS will not accept quantity increases from special processing operations such as heat treat, Penetrant inspection, anodize, plating, chem film, Pyrometry, prime/paint, radiographic inspection, and Passivate. All MEC or MLS material or parts must be traceable to MEC's or MLS's purchase order and (or) heat lot number.

INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR) (PAP 65)

Technical Data (includes drawings, specifications, models, software, other documentation) Supplier acknowledges that MEC or MLS may provide technical data subject to Export Control laws and any such Technical Data will be indicated as "ITAR- controlled." This technical data (as well as components) may not be disclosed to any foreign persons or foreign commercial entities, including employees, consultants, subcontractors, vendors or suppliers. The technical data will only be utilized for the manufacture of articles required by the purchase order. The supplier will convey the same requirements to their sub-tier suppliers. The supplier also agrees to destroy or return all such technical data upon completion of the purchase order.

RETURN MATERIAL AUTHORIZATION (RMA) REQUEST (PAP 72)

If a Return Material Authorization (RMA) is required by the supplier for return of discrepant product, the supplier will have 72 hours to respond with RMA number or statement of intention to dispute the QN (Quality Notification). If the supplier does not respond in writing within 72-hours, after verbal or written request is made by an MEC or MLS representative, discrepant items will be returned to supplier without RMA.

STANDARD WORKMANSHIP (PAP 73)

The supplier shall maintain written standards of workmanship directly applicable to the nature and level of work performed under the Purchase Order. A copy shall be supplied upon request. The buyer reserves the right to impose its own workmanship standard if he the seller's standards are considered unacceptable.

MONITOR EXTERNAL PROVIDERS PERFORMANCE (PAP 78)

Marvin Engineering/Marvin Land reserves the right to monitor our external provider's performance including:

- a. Supplier Risk of product or service;
- b. Quality of product or service delivered performance;
- c. On-time delivery of product or service.

COMPETENCES, AWARENESS & COMMUNICATION (PAP 79)

External Providers shall ensure that its personnel and sub-tier supplier's personnel have the required competency and experience appropriate with the requirements necessary for the performance of this PO:

- a. Their contribution to product or service conformity;
- b. Their contribution to product safety;
- c. The importance of ethical behavior.

PRODUCTION PROCESS VERIFICATION (PAP 80)

External Suppliers shall implement Production Process Verification activities to ensure the production process is able to produce products that meet requirements.

Marvin Engineering/Marvin Land reserves the right to review the evidence of the External Supplier's Production Process Verification which can include but not limited to risk assessments, capacity studies, capability studies, and control plans.